

**T 9 N**

**R 6 W**



**Office of the Monroe County Surveyor**  
**Trohn Enright-Randolph**

---

Health Services Building  
119 West 7<sup>th</sup> Street  
Bloomington, IN 47404  
Phone: (812) 349-2570

Dear User,

The following images were obtained in 2017 by the Office of the Monroe County Surveyor from the State Imaging and Microfilm Laboratory at the Indiana State Archives. The field notes and plats for Owen County are stored on microfilm Reel 4659 at the Indiana State Archives. Each page provided by the State Imaging and Microfilm Laboratory is approximately 18MB. Our office combined the pages by Township & Range and reduced the resulting pdfs. This process may have caused some degradation in quality. We will provide unreduced images of specific pages if required. Please contact us at 812-349-2570 or at [SurveyorsOffice@co.monroe.in.us](mailto:SurveyorsOffice@co.monroe.in.us) to request a higher quality image of any specific page.

The pdfs are bookmarked with the original page numbers as assigned by the State Imaging and Microfilm Laboratory.


Be prepared to provide the county name, reel number, and the required page numbers when requesting full sized images.

If you would like a DVD of an entire county, please provide us with one DVD per county along with a self-addressed, stamped envelope.

Trohn Enright-Randolph  
Monroe County Surveyor



No.	Yr to	Bearing trees	Yards diam.	Yards diam.	Yards diam.
1	at 1.	Sugar.	10	5 38	5 8
		Do.	15	5 26	5 21
		Do.	18	5 18	5 35
		Do.	36	5 21	5 30
		Do.	16	5 9	5 28
		Do.	16	5 2	5 15
		Do.	10	5 63	5 27
		Do.	14	5 6	5 20
		Do.	18	5 63	5 37
		Do.	14	5 43	5 47
		Do.	13	5 23	5 49
		Do.	10	5 15	5 7
1	at 1.	Do.	6	5 74	5 13
		Do.	20	5 34	5 37
		Do.	10	5 43	5 13
		Do.	18	5 36	5 27
		Do.	6	5 57	5 13
		Do.	14	5 70	5 43
		Do.	12	5 71	5 9
		Do.	17	5 63	5 9
		Do.	18	5 43	5 9
		Do.	8	5 43	5 27
		Do.	5	5 43	5 20
		Do.	10	5 49	5 13
		Do.	20	5 52	5 20
		Do.	30	5 81	5 23
		Do.	40	5 37	5 33
		Do.	14	5 73	5 32
		Do.	18	5 72	5 16
		Do.	12	5 63	5 36
		Do.	30	5 88	5 28
		Do.	15	5 18	5 15
		Do.	18	5 14	5 35
		Do.	16	5 37	5 17
		Do.	24	5 66	5 37
		Do.	36	5 22	5 32
		Do.	15	5 18	5 25
		Do.	14	5 4	5 37
		Do.	24	5 13	5 40
		Do.	15	5 37	5 15
		Do.	28	5 37	5 33
		Do.	24	5 40	5 24
		Do.	24	5 42	5 30
		Do.	24	5 26	5 33
		Do.	18	5 52	5 49
		Do.	18	5 66	5 13
		Do.	8	5 19	5 50
		Do.	40	5 9	5 13
		Do.	20	5 43	5 11
		Do.	30	5 44	5 69
		Do.	14	5 42	5 15
		Do.	12	5 82	5 19
		Do.	18	5 72	5 13
		Do.	6	5 74	5 23
		Do.	24	5 57	5 9
		Do.	8	5 82	5 18
		Do.	14	5 15	5 25
		Do.	10	5 43	5 18
		Do.	13	5 17	5 30
		Do.	12	5 4	5 37
		Do.	14	5 40	5 34
		Do.	12	5 33	5 17
		Do.	20	5 40	5 40
		Do.	13	5 33	5 10
		Do.	20	5 26	5 20
		Do.	14	5 16	5 35
		Do.	14	5 67	5 38
		Do.	17	5 63	5 17
		Do.	20	5 10	5 30
		Do.	12	5 10	5 30
		Do.	6	5 86	5 4
		Do.	10	5 82	5 35
		Do.	15	5 82	5 35
		Do.	13	5 89	5 40
		Do.	12	5 39	5 5
		Do.	24	5 87	5 32
		Do.	15	5 40	5 30
		Do.	14		

[illegible]



25

Township 9 North Range 6 West 2<sup>nd</sup> Mer. Ind.  
 C.L. South Boundary.

East On Random between Towns 8 & 9 N.  
 Range 6 West, 6 miles - full 3 chs.  
 N. of corner, T. 8 & 9 N. R. 5 & 6 W. -

West On South side of Sec. 36  
 40.00 Set gr. sec. post from which  
     a Hickory 18 in. dia. bears N 44 W 11 1/2 chs. dist.  
     & a Sycamore 12 " " " N 23 W 25 " "  
 43.00 To a Brook 10 chs. wide cr. N.  
 80.00 Set a post cor. sec. 35 & 36 from which  
     a Hickory 12 in. dia. bears N 64 W 12 1/2 chs. dist.  
     & a Do. 9 " " " N 49 E 20 " "  
 Land wet bottom & the timber is Hickory,  
 ash, Elm &c. -

West On the S. side of Sec. 35  
 40.00 Set gr. sec. post from which  
     an Elm 12 in. dia. bears N 38 E 9 chs. dist.  
     & a Maple 16 " " " S 18 W 32 " "  
 78.50 Enter a pond  
 80.00 Corner of Sec. 34 & 35, in a pond  
 Land wet bottom as last mile

West On the south side of Sec. 34  
 10.00 To a Creek 250 chs. wide cr. N.E.  
 36.00 " " Do. " " " S.E.  
 40.00 Set a gr. sec. post from which  
     a Hickory 12 in. dia. bears N 73 W 6 chs. dist.  
     & an Elm 15 " " " N 69 E 32 " "  
 80.00 Set a post cor. sec. 33 & 34 from which  
     a Hickory 24 in. dia. bears S 50 W 12 chs. dist.  
     & a R. Oak 24 " " " N 80 E 15 " "  
 Land rich bottom & the timber is  
 sugar, Ash, Elm &c. -



T. 9 N. R. 6 W. 2<sup>nd</sup>. Mer. Ind.

West On the S. side of sec. 33.

40.00 Set gr. sec. post from which  
a Gum 18 in. dia. bears East 500 yds. &  
a Do. 14 " " " N 56 W 20 " "80.00 Set a post cor. sec. 32 & 33 from which  
a Gum 15 in. dia. bears N 70 W 60 yds. dist. &  
an Elm 16 " " " S 49 E 48 " "  
Land wet bottom & the timber is  
Hickory, Ash, Elm &c. —

West On the South side of sec. 32.

20.00 To a Brook 10 yds. wide en. S. E.

40.00 Set gr. sec. post from which  
an Elm 24 in. dia. bears N 33 W 12 yds. dist.  
& an Ash 12 " " " S 87 E 48 " "

70.00 To a Brook 20 yds. wide en. S. E.

80.00 Set a post cor. sec. 31 & 32 from which  
an Elm 12 in. dia. bears N 76 E 26 yds. dist.  
& a Hickory 12 " " " S 56 W 19 " "  
No description —

West On the South side of sec. 31

15.00 Enter a prairie

40.00 Set gr. sec. post in prairie. no bearings

79.50 Intersect W. boundary. 150 yds. S. of temp.  
post. No timber within 30 chs. April 27,  
Surveyed in 1811. By James Holmes Dist.  
H. John Holmes. — D. D.

## East Boundary.

Var.

North On the E. side of sec. 36, April 22, 1811.

6.00 To a River 200 yds. wide en. East.

40.00 Set gr. sec. post from which  
a Bl. Jack 3 in. dia. S 53 E 15 yds. dist.  
& a Swamp Oak 9 " " " N 17 W 2 " "T. 9 N. R. 6 W. 2<sup>nd</sup>. Mer. Ind.80.00 Set a post cor. sec. 25 & 36 from which  
a Gum 12 in. dia. bears N 82 E 10 yds. dist.  
& an Elm 17 " " " S 83 W 20 " "  
Sand bottom &c. —

North On the E. side of sec. 25.

14.50 To a Sugar 9 in. dia. in the line.

40.00 Set gr. sec. post from which  
a Beech 16 in. dia. bears S 52 E 13 yds. dist.  
& a Do. 18 " " " N 32 W 48 " "80.00 Set a post cor. sec. 24 & 25 from which  
a Beech 14 in. dia. bears N 75 E 49 yds. dist.  
& a W. Oak 30 " " " S 57 W 43 " "  
Good land & Beech timber —

North On the E. side of sec. 24

38.00 To a Brook 10 yds. wide en. E.

40.00 Set gr. sec. post from which  
a Beech 24 in. dia. bears N 41 E 2 yds. dist.  
& a Do. 15 " " " S 84 W 28 " "80.00 Set a post cor. sec. 13 & 24 from which  
a W. Oak 20 in. dia. bears S 21 W 10 yds. dist.  
& a Gum 30 " " " N 60 E 45 " "  
Land &c. same as on last mile

North On the E. side of sec. 13.

32.00 To a Brook 12 yds. wide en. N. E.

40.00 Set a gr. sec. post from which  
a Beech 20 in. dia. bears S 20 E 45 yds. dist.  
& a Do. 12 " " " N 32 W 11 " "

71.50 To a Brook 12 yds. wide en. N. E.

76.00 To a Hickory 12 in. dia. in the line

80.00 Set a post cor. sec. 12 & 13 from which  
a Hickory 15 in. dia. bears S 78 W 8 yds. dist.  
Poor Beech Land &c.  
a Beech 12 in. dia. bears N 55 E 12 yds. dist.



T. 9 N. R. 6 W. 2<sup>nd</sup> New Ind.

North On the E. side of sec. 12

34.00 To an ash 14 in. dia. in the line,

40.00 Set gr. sec. post from which

a Beech 11 in. dia. bears S 20° W 12 M. dist,

+ a W. Oak 15 " " " N 76° E 32 " "

73.50 To a Brook 10 M. wide en. E.

80.00 Set a post cor. sec. 1 &amp; 12 from which

a Gum 16 in. dia. bears N 45° W 7 M. dist,

+ a Beech 13 " " " S 75° E 17 " "

Land &amp; timber same as on last mile

North On the E. side of sec. 1.

20.50 To a W. Oak 15 in. dia. in the line,

40.00 Set a gr. sec. post from which

a Sycamore 40 in. dia. bears N 38° E 42 M. dist

+ a Beech 4 " " " S 5° W 9 " "

45.50 To a Brook 25 M. wide en. S. E.

80.00 Set a temporary Town corner post,

Land &amp;c. same as on last mile,

Surveyed in 1811 - By -

James Holmes, D. S.

For Alex. Holmes, Sep. Sur.

## West Boundary.

North On the E. side of sec. 36 T. 9 N. R. 7 W.

29.00 To a large pond running E. W. 3 cks. wide

40.00 Set gr. sec. post from which

a Hickory 14 in. dia. bears N 86° W 29 M. dist,

+ an Elm 16 " " " N 86° E 39 " "

54.50 To a Hickory 16 " " in the line,

80.00 Set a post cor. sec. 25 &amp; 36 from which

an Elm 6 in. dia. bears S 77° E 27 M. dist,

+ an Ash 8 " " " N 88° W 30 " "

But good bottom &amp; part wet &amp; the timber

is Hickory, Ash, Elm &amp;c

T. 9 N. R. 6 W. 2<sup>nd</sup> New Ind.

North On the E. side of sec. 25 T. 9 N. R. 7 W.

40.00 Set gr. sec. post from which

a Hickory 6 in. dia. bears S 80° E 3 M. dist,

+ a Do. 6 " " " S 83° W 22 " "

59.00 To a Red Oak 18 in. dia. in the line,

80.00 Set a post cor. sec. 24 &amp; 25 from which

a Hickory 10 in. dia. bears S 20° E 2 M. dist,

+ an Ash 10 " " " N 85° E 18 " "

Wet swampy bottom. Oak Ash Elm timber,

North On the East side of sec. 34 T. 9 N. R. 7 W.

12.00 To a Brook 200 M. wide en. S. E.

21.00 " " Do. 200 " " " S. W

34.00 " " Do. 200 " " " E,

40.00 Set gr. sec. post from which

a Sycamore 24 in. dia. bears S 42° W 23 M.

+ a Do. 16 " " " N 46° E 63 dist,

79.50 To a Brook 15 M. wide en. S. E.

80.00 Set a post cor. sec. 13 &amp; 24 from which

a Maple 12 in. dia. bears N 81° W 14 M. dist,

+ a Honey Locust 16 " " " N 89° E 7 " "

Bottom land. Timber, sugar Ash Elm &amp;c,

North On the E. side of sec. 13 T. 9 N. R. 7 W.

40.00 Set gr. sec. post from which

an Elm 15 in. dia. bears S 30° W 14 M. dist,

+ a Beech 18 " " " N 46° E 47 " "

60.00 To a Brook 5 M. wide en. W.

80.00 Set a post cor. to sec. 12 &amp; 13 from which

an ash 18 in. dia. bears S 61° E 22 M. dist,

+ an Elm 12 " " " N 42° W 21 " "

Land part wet &amp; swampy &amp; part uneven

Buck land. &amp; timber Maple, Ash, Elm &amp;c

North On the E. side of sec. 13 T. 9 N. R. 7 W.

12.00 To a Brook 3 M. wide en. W.



T. 9 N. R. 6 W. 2<sup>nd</sup> Mer. Ind.

- 37.00 To a Spring cor. W,  
 40.00 Set gr. sec. post. from which  
 a Sugar 16 in. dia. bears S 8 E 29<sup>th</sup> dist;  
 & a Walnut 6 " " " N 52 W 29 " "  
 75.00 To a Brook 4<sup>th</sup> wide cor. S. W,  
 80.00 Set a post cor. sec. 1 & 12 from which  
 a W. Oak 36 in. dia. bears S 15 W 4<sup>th</sup> dist;  
 & a W. Oak 30 " " " N 76 E 5 " "  
 Good Beech land &

- North On the E. side of sec. 1 T. 9 N. R. 6 W,  
 27.30 To a Beech 15 in. dia. in the line,  
 37.00 " " Spring cor. W,  
 40.00 Set a gr. sec. post. from which  
 a W. Oak 18 in. dia. bears S 16 W 42<sup>th</sup> dist;  
 & an ash 24 " " " N 31 E 43 " dist;  
 47.00 To a Brook 3<sup>th</sup> wide cor. W,  
 60.00 " " Do. 3 " " " W,  
 76.00 " " Do. 3 " " " W,  
 80.00 Set a Temp. Low cor. post.  
 Good land & the timber is Sugar  
 Beech, Oak &

## North Boundary.

- East On Rand. South boundry, of  
 Iowa 10 N. R. 6 W - 5 Miles 77 chs.  
 & 150<sup>th</sup> N. of Iowa corner,

- West On S. side of sec. 36 T. 10 N. R. 6 W,  
 21.50 To a Brook 40<sup>th</sup> wide cor. S. E,  
 40.00 Set a post cor. 14 sec. from which  
 a W. Oak 36 in. dia. bears S 72 W 16<sup>th</sup> dist;  
 & an Ironwood 5 " " " N 35 E 51 " "  
 80.00 Set a post cor. sec. 35 & 36 from which  
 a Sugar 15 in. dia. bears N 63 W 20<sup>th</sup> dist;

T. 9 N. R. 6 W. 2<sup>nd</sup> Mer. Ind.

- C. S. Van Hornwood 5 in. dia. bears S 51 E 60<sup>th</sup> dist;  
 Flat wet land & timber is Beech &

- West On the S. side of sec. 35 T. 10 N. R. 6 W,  
 40.00 Set gr. sec. post. from which  
 a Beech 5 in. dia. bears N 64 E 15<sup>th</sup> dist;  
 & a Sugar 13 " " " S 86 W 43 " "  
 48.50 To a Brook 10<sup>th</sup> wide cor. N. E,  
 63.50 " " Do. 12 " " " N. E,  
 80.00 Set a post cor. sec. 34 & 35 from which  
 a Beech 14 in. dia. bears N 70 E 27<sup>th</sup> dist;  
 & a Walnut 3 " " " S 8 W 3 " "  
 Land poor & the timber Beech & Oak &

- West On the South side of sec. 34 T. 10 N. R. 6 W,  
 40.00 Set gr. sec. post. from which  
 a Beech 15 in. dia. bears S 40 W 19<sup>th</sup> dist;  
 & a Do. 18 " " " N 64 E 48 " "  
 80.00 Set a post cor. sec. 33 & 34 from which  
 a Sugar 12 in. dia. bears N 57 E 30<sup>th</sup> dist;  
 & a Do. 10 " " " S 15 W 18 " "  
 Land poor & the timber is Beech &

- West On South side of sec. 33 T. 10 N. R. 6 W,  
 14.00 To a Brook 10<sup>th</sup> wide cor. S.  
 40.00 Set a gr. sec. post. from which  
 a Beech 16 in. dia. bears S 60 W 6<sup>th</sup> dist;  
 & a Do. 16 " " " North 25 " "  
 80.00 Set post cor. sec. 32 & 33 from which  
 a Beech 12 in. dia. bears S 36 W 19<sup>th</sup> dist;  
 & a Do. 5 " " " North 12 " "  
 Land wet level & the timber Beech &

- West On the S. side of sec. 32 T. 10 N. R. 6 W,  
 40.00 Set gr. sec. post. from which  
 a Beech 16 in. dia. bears N 8 W 11<sup>th</sup> dist;



T. 9 N. R. 6 W. 2<sup>nd</sup> New Ind.

- 43.00 To a Dogwood 4 in dia. bears N53E12 the dist.  
 44.00 To a Brook 5 lks. wide cr. south  
 44.00 " " line blazed cr. S73W,  
 80.00 Set a post cr. sec. 31 & 32 from which  
 a Hickory 16 in dia. bears S35W18 the dist.,  
 & a Poplar 18 " " " N13W16 " "  
 Land & timber same as above

- West On the S. side of sec. 31 T. 10 N. R. 6 W  
 21.00 To a Brook 3 lks. wide cr. S  
 40.00 Set gr. sec. post from which  
 a Poplar 18 in dia. bears N4W4 the dist.,  
 & a Sugar 16 " " " S9W16 " "  
 42.00 To a Brook 5 lks. wide cr. S.W.  
 50.00 " " Spring cr. south  
 77.00 " the corner of Town 9 & 10 N. R. 6 & 7 W  
 & set post for cr. from which  
 a Hickory 8 in dia. bears N73E6 the dist.  
 & an Elm 12 " " " S41W34 " "  
 Land & timber same as before,  
 Surveyed in 1811. by James Holmes  
 for Alex. Holmes Dep. Sur.

## Subdivisions,

- North Between sections 35 & 36  
 33.00 To Eel River 300 lks. wide cr. at E,  
 40.00 Set gr. sec. post from which  
 an Ash 20 in dia. bears N82E20 the dist.  
 & an Ash 30 " " " S81W33 " "  
 13.00 To a Brook 20 " " in the line  
 80.00 Set a post cr. sec. 25, 26, 35 & 36 from wh.  
 an Ash 20 in dia. bears N65E13 the dist.,  
 & a Do. 24 " " " N69W19 " "  
 Land level & the timber is ash Elm Oak &c,  
 mud, lth. spire & swamp bushes &c,

T. 9 N. R. 6 W. 2<sup>nd</sup> New Ind.

- East On Random between sections 25 & 36  
 40.00 Set a Temp. gr. sec. post.  
 80.00 Interest 6. line of sec. 70 lks. N. of post.

- West Correct the line between sec. 25 & 36  
 40.00 Set gr. sec. post from which  
 a Maple 6 in dia. bears N80E23 the dist.,  
 & a Do. 6 " " " S62W13 " "  
 80.00 To the section corner,  
 Low ground, & the timber is ash &c,  
 mud, lth. swamp bushes &c

- North Between sections 25 & 26  
 21.25 To a Gum 10 in dia. bears in the line,  
 40.00 Set gr. sec. post from which  
 a Poplar 40 in dia. bears S37E35 the dist.,  
 & a W. Oak 14 " " " S75W22 " "  
 Land low wet. Timber Hickory Oak &c  
 59.50 To a Gum 24 in dia. in the line,  
 80.00 Set a post cr. sec. 23, 24, 25 & 26  
 a W. Oak 24 in dia. bears S30E5 the dist.  
 & a Hickory 18 " " " N45W10 " "  
 This 1/2 mile is over level land & the  
 timber is Oak & Hickory, Poplar &c,  
 mud, lth. spire &c

- East On Random between sec. 24 & 25 Rand.  
 29.00 To a Branch 3 lks. wide cr. S.E.  
 40.00 Set a temp. gr. sec. post.  
 79.90 To the E. line of sec. 76 lks. W. of post,  
 West Correct the line between sec. 24 & 25  
 39.95 Set gr. sec. post from which  
 a Sugar 8 in dia. bears N39W5 the dist.  
 & a Birch 12 " " " S71W12 " "  
 79.90 To the sec. corner, Land broken good soil,



T. 9 N. R. 6 W. 2<sup>nd</sup> Mer. Ind.

C. L. Beech Sugar Oak, Mud, Elm, Spruce &amp; Sapagash

## North Between sections 23 &amp; 24

- 5.00 To a Hickory 15 in. dia. in the line  
 33.50 " " Poplar 24 " " " "  
 40.00 Set gr. sec. post from which  
 a Sugar 18 in. dia. bears N 72 E 16 the dist.  
 & a Do. 12 " " " N 63 W 36 " "  
 80.00 Set a post cor. sec. 13, 14, 23 & 24 from which  
 a Hickory 12 in. dia. bears N 11 E 21 the dist.  
 & a Sugar 6 " " " S 86 W 35 " "  
 Land broken soil good & the timber is  
 Beech, Sugar, Ash &c. N. E. Spruce Sapagash &c.

East On Random between sec. 13 & 24  
 38.00 To a Branch 4 lbs. wide en. N.  
 40.00 Set a tump, gr. sec. post  
 79.85 Intersect the E. line of sec. 75 the N.  
 of post. —

West Correct the line between sec. 13 & 24  
 39.92 $\frac{1}{2}$  Set gr. sec. post from which  
 a Beech 24 in. dia. bears N 33 W 5 the dist.  
 & a W. Oak 15 " " " S 9 E 45 " "  
 Land broken, soil good. & the timber is  
 Sugar, Beech, Oak &c. N. E. Spruce &c.  
 79.85 To sec. cor. —

## North Between sections 13 &amp; 14

- 3.40 To a Branch 4 lbs. wide en. S W  
 6.40 " an Elm 10 in. dia. in the line,  
 40.00 Set gr. sec. post from which  
 a W. Oak 30 in. dia. bears N 88 W 28 the dist.  
 & a Do. 15 " " " S 18 E 15 " "  
 68.30 To a Branch 4 lbs. wide en. N. E.  
 80.00 Set a post cor. sec. 11, 12, 13 & 14 from which

T. 9 N. R. 6 W. 2<sup>nd</sup> Mer. Ind.

C. L. a Beech 15 in. dia. bears S 37 E 14 the dist.  
 & a Do. 20 " " " N 37 W 55 " "  
 Land uneven a rolling rich soil, & the  
 timber is Sugar, Walnut, Poplar Beech &c.  
 mud, Elm, Spruce &c. Feb. 19<sup>th</sup> 1815.

East On Random between sec. 12 & 13,  
 15.70 To a Branch 6 lbs. wide en. S. E.  
 45.57 " " Do. 4 " " " S. E.  
 79.80 To the E. line of sec. 79 the N. of post,

West On true line between sec. 12 & 13,  
 39.90 Set gr. sec. post from which  
 a Sugar 10 in. dia. bears S 88 E 82 the dist.  
 & a Dogwood 5 " " " N 70 W 21 " "  
 70.30 To a Sugar 15 " " in the line,  
 79.80 To the sec. corner,  
 Level land soil good. & the timber is Beech  
 Sugar &c. mud, Elm Spruce &c.

## North Between sections 11 &amp; 12.

- 11.40 To a Branch 6 lbs. wide en. S. E.  
 40.00 Set gr. sec. post from which  
 a Beech 18 in. dia. bears S 14 E 35 the dist.  
 & a Sugar 16 " " " N 37 E 19 " "  
 49.43 To an Ash 30 " " in the line,  
 80.00 Set a post cor. sec. 1, 2, 11 & 12 from which  
 a W. Oak 40 in. dia. bears S 86 E 25 the dist.  
 & a Sugar 12 " " " N 23 W 9 " "  
 Land broken, soil good & the timber is  
 Beech, Oak &c. mud, Elm Spruce Sapagash &c.

## East On Random between sec. 1 &amp; 12

- 40.00 Set a Tump, gr. sec. post  
 52.75 To a Branch 4 lbs. wide en. S. E.  
 80.00 Intersect the E. line of sec. 89 the N. of post,



T. 9 N. R. 6 W. 2<sup>nd</sup> Mer. Ind.?

West Correct the line between sec. 18 & 12  
 40.00 Set gr. sec. post from which  
 a Dogwood 6 in. dia. bears S 74° W 15 M.  
 & a Beech 20 " " S 34° E 27.  
 80.00 To the section corner,

## North Between sections 18 &amp; 12

6.00 To Spanish Oak 36 in. dia. in line,  
 13.10 " a Branch 6 M. wide en. S. E.  
 40.00 Set gr. sec. post from which  
 a W. Oak 24 in. dia. bears S 60° E 37 M.  
 & a Do. 36 " " N 22° W 12. dist.  
 80.54 To the N. boundry, set post cor. sec. 18 & 12,  
 a Walnut 24 in. dia. bears S 57° W 11 M. dist.  
 & a Sugar 16 " " N 70° E 25. "  
 Land broken soil good & the timber is  
 Oak, Beech, Sugar &c. Mud, & the Hazel  
 Spruce &c. Feb'y. 19<sup>th</sup>. 1815. —

## North Between sec. 34 &amp; 35

10.00 To Elk River 300 M. wide en. E.  
 32.50 " an ash 30 in. dia. in the line  
 40.00 Set a gr. sec. post from which  
 a Hickory 15 in. dia. bears N 5° W 25 M.  
 & an ash 14 " " S 4° E 50 dist.  
 Land level soil rich & the timber is  
 Beech, Oak &c. Mud, & the Spruce &c.  
 80.00 Set a post cor. sec. 26, 27, 34 & 35  
 a Beech 10 in. dia. bears N 45° E 50 M. dist.  
 & a Sugar 10 " " S 30° W 30 " "  
 This 1/2 mile same as on last mile

## West Between sections 26 &amp; 35

36.00 To a Branch 10 M. wide en. S. E.  
 40.00 Set gr. sec. post from which  
 a Hickory 15 in. dia. bears N 64° W 24 M. dist.

T. 9 N. R. 6 W. 2<sup>nd</sup> Mer. Ind.?

Co. L. Van Elan 24 in. dia. bears S 44° E 34 M. dist.  
 61.00 To a Branch 4 M. wide en. S. E.  
 80.00 To the sec. corner, Land level & the  
 timber is Oak ash. Elm &c. Mud, & the Spruce &c.

## North Between sections 26 &amp; 27

5.00 To a Beech 20 in. dia. in the line,  
 36.00 " a Branch 5 M. wide en. S. E.  
 40.00 Set a gr. sec. post from which  
 a Beech 24 in. dia. bears N 15° E 40 M. dist.  
 & a Do. 15 " " S 59° W 15. "  
 42.50 To a Branch 4 M. wide en. S. W.  
 45.38 " a Beech 16 in. dia. in the line,  
 38.30 " a Poplar 36 " " "  
 80.00 Set a post cor. sec. 22, 23, 26 & 27 from which  
 a Sugar 10 in. dia. bears N 46° W 8 M. dist.  
 & a S. Oak 30 " " S 50° E 30 " "  
 Land level soil good & the timber is Beech  
 Oak &c. Mud, & the Spruce &c.

## East On Random between sec. 23 &amp; 26

40.00 Set a temp. gr. sec. post,  
 41.60 To a Branch 4 M. wide en. S. E.  
 57.40 " Do. 6 " " S.  
 80.00 " the E. line of sec. at corner,

## West On true line between sec. 23 &amp; 26

40.00 Set a gr. sec. post from which  
 a W. Walnut 12 in. dia. bears S 9° W 21 M.  
 & a Sugar 10 " " N 86° W 20 dist.  
 80.00 To the section corner  
 Land over broken land & the timber  
 is Beech, Oak & the Mud, & the Spruce &c.

## North Between sections 22 &amp; 23

31.50 To a Branch 3 M. wide en. S. W.



T. 9 N. R. 6 W. 2<sup>nd</sup> Mer. Ind.?

- 40.00 Set gr. sec. post from which  
a Sugar 28 in. dia. bears S 27 W 35 1/2 m. dia  
+ a Beech 24 " " " N 40 E 24 " "
- 45.03 To a W. Oak 24 " " in the line,
- 80.00 Set a post cor. sec. 14, 15, 22 & 23,  
a Gum 14 in. dia. bears N 30 W 30 1/2 m.  
+ a Sweet Do. 12 " " " S 50 E 10 " dia.  
Land level soil good & the timber is  
Oak, Beech Hickory, mud, etc., spine &c.,

- East On Random between sec. 14 & 23,  
40.00 Set a temporary, gr. sec. post  
78.00 To a Branch 6 m. wide cor. S. W,  
79.88 Entered the E. line of sec. at post,

- West On true line between sec. 14 & 23,  
39.94 Set gr. sec. post from which  
a Sugar 12 in. dia. bears N 32 W 20 1/2 m.  
+ a Beech 8 " " " S 32 E 12 "  
Land broken good soil & the timber  
is Beech, Sugar &c. m. & spine &c.,  
79.88 To the sec. corner This is over level  
land & the timber is Oak, Beech Ash &c.,  
February 15<sup>th</sup> 1815, -

- North Between sections 14 & 15  
4.40 To a Poplar 36 in. dia. in the line,  
40.00 Set gr. sec. post from which  
a W. Oak 24 in. dia. bears N 2 E 40 1/2 m. dia  
+ a Beech 24 " " " N 26 W 33 " "
- 45.50 To a Branch 6 m. wide cor. W,  
61.00 " " Do. 6 " " " S. W,  
80.00 Set a post cor. sec. 10, 11, 14 & 15 from wh.  
a Sugar 16 in. dia. bears N 84 E 11 1/2 m. dia,  
+ a Beech 12 " " " N 54 W 30 " "
- Land broken soil good & the timber,

T. 9 N. R. 6 W. 2<sup>nd</sup> Mer. Ind.?

6. L. is Beech Sugar Oak &c. mud, etc., spine &c.,

- East On Random between sec. 11 & 14  
12.00 To a Branch 6 m. wide cor. S. W,  
40.00 Set a temporary, gr. sec. post,  
80.20 To the E. line of sec. at post,

- West On true line between sec. 11 & 14  
40.10 Set gr. sec. post from which  
a Hickory 18 in. dia. bears N 8 E 35 1/2 m.  
+ a Beech 36 " " " N 21 E 30 " dia,  
80.20 To the sec. corner,

- North Between sections 10 & 11  
40.00 Set gr. sec. post from which  
a Beech 18 in. dia. bears S 52 W 49 1/2 m.  
+ an Ash 18 " " " N 66 W 13 " dia,  
80.00 Set a post cor. sec. 2, 3, 10 & 11 from which  
a Hickory 20 in. dia. bears East 4 1/2 m. dia &  
a W. Oak 18 " " " West 4 " "  
Land level & the timber is Oak Hickory &c.,  
Beech &c. mud, etc., spine &c. rich soil -

- East On Random between sec. 20 & 11  
40.00 Set a temporary, gr. sec. post  
80.00 To the E. boundary, of sec. at post,

- West Correct the line between sec. 2 & 11  
40.00 Set gr. sec. post from which  
a Sugar 10 in. dia. bears N 44 W 15 1/2 m.  
+ a Beech 18 " " " N 50 E 27 " "
- 80.00 To the section corner,  
Land same & broken & the timber  
is Beech, Sugar &c. m. & spine rich soil,

- North Between sections 2 & 3,